

APPENDIX

Example 1

Megaco/1 [123.123.92.45]:2944 ; IP address/Port of MGC

Transaction = 55500 {

Megaco/1 [123.123.92.150]:2944 ; IP Address/Port of MG

```
25 Reply = 55500 {  
    Context = 'ContextID1' {  
        Modify = 'TerminationID1' { }  
    }  
}
```

Example 2

Megaco/1 [123.123.92.45]:2944

Transaction = 55501 {

```
35     Context = 'ContextID1' {  
        Modify = 'TerminationID1' {  
            Signals {
```

Playaudio/Pause {},

; Reusing 'SignalListID1' is the same as specifying keepActive

40 **SignalList** = 'SignalListID1' {

Playaudio/Play {

ASC='AudioStreamContainer1'

}

Playaudio/Play {

45 ASC='AudioStreamContainer2'

}

```
    }
}
}
}
5 Megaco/1 [123.123.92.150]:2944
Reply = 55501 {
    Context = 'ContextID1' {
        Modify = 'TerminationID1' {
10
    }
}
}
```

Example 3

Example 4

45 Megaco/1 [123.123.92.150]:2944
Transaction = 55503 {
 Context = 'ContextID1' {

Megaco/1 [123.123.92.45]:2944

```
15     Reply = 55503 {
          Context = 'ContextID1' {
              Notify = 'TerminationID1' {}
          }
      }
```

20 . Example 5

```

Megaco/1 [123.123.92.45]:2944
Transaction = 55600 {
    Context = 'ContextID1' {
        Modify = 'TerminationID1' {
            25 Media { TerminationState{Buffer = Off} } ; Ensure no event buffering
            Events = 'EventRequestID2' {
                Playaudio/playcomplete{}, ; Play Completion Event
                dd/d1 { ; Detect DTMF Digit '1' Event
                    Embed { ; Speed up Current Play by 5%
            30 Signals{
                playaudio/AdjustSpeed{ChangeType=SpeedUp, SpeedChange=5},
                playaudio/Play{ASC='AudioStreamContainer1', keepActive}
            }
            35 }
            dd/d2 { ; Detect DTMF Digit '2' Event
                Embed { ; Slow down Current Play by 5%
                Signals{
                    playaudio/AdjustSpeed{ChangeType=SpeedDown, SpeedChange=5},
                    playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
            40 }
            45 dd/d3 { ; Detect DTMF Digit '3' Event
                Embed { ; Return play to normal speed
                Signals{
                    playaudio/AdjustSpeed{ChangeType=NormalSpeed},

```

```

playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
}
}
}
5 dd/d4 { ; Detect DTMF Digit '4' Event
Embed { ; Increase play volume by 2dB
Signals{
playaudio/AdjustVolume{ChangeType=VolumeUp,VolumeChange=2},
playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
10 }
}
}
}
dd/d5 { ; Detect DTMF Digit '5' Event
Embed { ; Decrease play volume by 2dB
15 Signals{
playaudio/AdjustVolume{ChangeType=VolumeDown,VolumeChange=2},
playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
}
}
}
}
dd/d6 { ; Detect DTMF Digit '6' Event
Embed { ; Return to normal volume
20 Signals{
playaudio/AdjustVolume{ChangeType=NormalVolume},
playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
}
}
}
}
dd/d7 { ; Detect DTMF Digit '7' Event
30 Embed { ; Jump ahead 2 seconds (specified in ms)
Signals{
;The default jump signal is to jump forward in time units
playaudio/Jump{
JumpMode=JumpUnit, JumpDirection=Forward,
35 JumpUnitType=JumpTime, JumpUnitValue=2000
},
playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
}
}
}
}
dd/d8 { ; Detect DTMF Digit '8' Event
40 Embed { ; Jump backward 2 seconds
Signals{
playaudio/Jump{
JumpMode=JumpUnit, JumpDirection=JumpBackward,
45 JumpUnitType=JumpTime, JumpUnitValue=2000},
playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
}
}
}
}

```

```

        }
        }
    }
    dd/ds { ; Detect DTMF Digit '*' Event
5     Embed { ; Pause the play
    Signals{
        playaudio/Pause{},
        playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
    }
10    }
    }
    dd/do { ; Detect DTMF Digit '#' Event
    Embed { ; Resume the play
    Signals{
        playaudio/Resume{},
        playaudio/Play{ ASC='AudioStreamContainer1', keepActive}
    }
    }
20    Signals { ; Start the Play of TVMObject1
        playaudio/Play {
        ASC='AudioStreamContainer1'
    }
    }
25    }
    }
    }
    }
30    Megaco/1 [123.123.92.150]:2944
    Reply = 55600 {
        Context = 'ContextID1' {
            Modify = 'TerminationID1' { }
        }
    }
35    }

```

Example 6

```

Megaco/1 [123.123.92.150]:2944
Transaction = 55601 {
40    Context = 'ContextID1' {
        Notify = 'TerminationID1' {
            ObservedEvents = 'EventRequestID2' {
20000301T22040002:playaudio/playcomplete { ; Timestamped event
            TermMethod = EOD, ; Play terminated because of End of Data
45            ASC='AudioStreamContainer1',
            Offset=60000 ; AudioStreamContainer1 played for 60 seconds
        }
    }
}
```

```
    }
}
}
}
5
Megaco/1 [123.123.92.45]:2944
Reply = 55601 {
    Context = 'ContextID1' {
        Notify = 'TerminationID1' {
10
    }
}
}
```